



MARINE CATALOG





ABOUT FURRION

A multi-national company with a family business heart, Furrion engineers, manufactures and delivers innovative, advanced technology solutions for the marine, mobile and consumer markets. Founded by a team of marine engineers more than a decade ago, Furrion is committed to the research and development of feature-rich, durable product solutions constructed to safely enhance the boating lifestyle.







Shown (L) Lippert Components CEO. Jason Lippert, (R) Furrion CEO, Aaron Fidler

FURRION & LIPPERT COMPONENTS -STRONGER TOGETHER

With a like-minded approach, the Furrion and Lippert Components partnership is focused on product innovation, design, development and manufacturing, as well as the continual improvement of all aspects of the customer experience.















CORD SETS



INLETS



ADAPTERS



CONNECTORS & PLUGS



ACCESSORIES & 12 VOLT DEVICES





CORD SETS

Furrion cord sets are the perfect balance of strength, durability and flexibility.

Constructed to withstand harsh pull tests and flexible enough to coil and store with ease, Powersmart™ and Faultsmart™ technologies provide valuable safety information.





Provides instant indication that power is present, dual Powersmart LEDs indicate power is present on each leg. In blackout situations, the LEDs indicate whether a fault has occurred at the power source or at your equipment.



RED FAULTSMART LED*

Indicates incorrect flow of electricity due to incorrect wiring. Provides instant warning and reduces the risk of hazard or damage to electrical equipment.

*50A, 125V Cords



99.9% pure annealed copper with thick copper strands provide maximum conductivity and durability. Super-flex, oil resistant PVC is easy to clean and adds flexibility for easy coiling.

SMART CORD SETS

SMART CORD SETS FEATURE:

- Super-flex, oil-resistant conduit that is easy to clean and flexible for easy coiling
- Ergonomic, molded side grips provide easy, user-friendly connections
- All cords meet global marine industry standards, Marine UL, cUL, ETL Intertek Certified
- 5-year, quality assured warranty



With Powersmart[™] Technology


The Powersmart™ bright blue LED voltage indicator displays real time information that there is power to the cord set. Engineered and tested to withstand harsh environments, Furrion cord sets are ETL Intertek Certified, meet Marine UL and other global marine industry standards. Cord sets are available in two colors, titanium grey and yellow.

Features:

- Constructed for durability, strength and longevity in the marine environment, flexible for easy coiling and storage
- Ergonomic, molded side grips for easy connection
- 12-foot cord sets include storage bag
- Universal fit with other brands (NEMA)









30 AMP CORD SETS

Engineered and tested to withstand harsh environments, Furrion cord sets are ETL Intertek Certified, meet Marine UL and other global marine industry standards.



ITEM#	LCI#	RATING	LENGTH	COLOR
F30C12-SY	381690	30A, 125V	12'	Yellow
F30C12-SS	381689	30A, 125V	12'	Titanium
F30C25-SY	381692	30A, 125V	25'	Yellow
F30C50-SY	381694	30A, 125V	50'	Yellow

50 AMP CORD SETS

With Powersmart™ Technology

The Powersmart™ LED voltage indicator displays real time information that power is present on each leg of the cord set. 50 Amp, 125V cords feature the Faultsmart™ LED indicator, which provides reverse polarity condition warning. Engineered and tested to withstand harsh environments, Furrion cord sets are ETL Intertek Certified, meet Marine UL and other global marine industry standards. 50 Amp cord sets include a heavy-duty organizer bag.







ITEM#	LCI#	RATING	LENGTH	COLOR
F50125-SY	381699	50A, 125V	25'	Yellow
F50150-SY	381700	50A, 125V	50'	Yellow
F50225-SY	381701	50A, 125/250V	25'	Yellow
F50250-SY	381702	50A, 125/250V	50'	Yellow
F50250-SW	432982	50A, 125/250V	50'	White





15 AMP MARINIZED EXTENSION CORD

The Furrion Marinized Extension Cord is a 15 Amp, 14 Gauge, 50' long cord set designed for the marine environment. Constructed with heavy-duty, marine grade materials to the highest quality standards, the cord set features universal fit, nickel-plated, corrosion-resistant pins, and ergonomic, over-molded ends for durability, water-resistance and easy connectivity. Engineered and tested to withstand harsh environments, Furrion cord sets are ETL Intertek Certified, and meet Marine UL and other global marine industry standards.



ITEM#	LCI#	DESCRIPTION
FP15EX-SY	382384	15A, 14G, 50' Cord

SEALING COLLARS & RINGS

Constructed with heavy-duty, marine grade materials for durability in harsh environments, Furrion collars and rings provide ease of installation with Furrion cords and adapters.

ITEM#	LCI#	DESCRIPTION
F30SLC-SS	382387	30 Amp Sealing Collar
F30RNG-SS	382407	30 Amp Replacement Ring
F50SLC-SS	383936	50 Amp Sealing Collar
F50RNG-SS	383942	50 Amp Replacement Ring



F30SLC-SS



F30RNG-SS



F50SLC-SS



F50RNG-SS



CORD SET ACCESSORIES


CORD ORGANIZER BAG

Furrion's shore-power organizer bag is the ideal place to store your cord sets and shore-power devices to keep them dry, clean and accessible. Constructed with heavy-duty materials, it provides weather-resistant protection.

Features:

- Cable entry and exit holes at each end of the bag for easy access
- Ventilation for drying moisture
- Heavy-duty, water-resistant material to help prevent damage and provide added security and strength
- Reflective edges that make the bag visible in dark locations





PORTABLE CABLE RAMP

Furrion's portable cable ramp has amazing industrial strength, is lightweight and packs into a small bag for easy storage and portability. With its adjustable sizes and the ability to join several ramps together, it provides protection for a wide variety of applications. The portable ramp has also been designed for permanent mounting when needed.

Features:

- Adjustable widths for different sizes
- Compact storage bag included for easy storage
- Reflecting surface symbols for night visibility
- Rubber feet for added traction and ramp stability
- Length of ramp is 22" (Join ramps together for additional lengths)
- Cable channel width is adjustable from 2" to 3.75"





POWER INLETS

Modern, sleek design meets exceptional features and functionality. Engineered for safety, Furrion power inlets are constructed for durability and longevity in the harsh marine environment. These stylish inlets feature a voltage indicating bright, blue Powersmart™ LED to show a live connection.



*Stainless steel inlet does not include LED



Innovative terminal design provides 50% more screw thread. Secure cable with more torque and reduce cross threading during installation

Transparent pin face provides the user with quick indication that the cable is secured to the terminal and provides visible warning for overheating connection or internal damage





The new innovative inlet design improves safety and diminishes installation errors.

The unique terminal design reduces operating temperature by up to 10° F.

30 AMP POWER INLETS

With Powersmart™ Technology

Engineered for safety and longevity, the feature-rich Furrion inlets are an ideal solution for a wide range of boats. Constructed with marine grade materials to withstand harsh environments, Furrion inlets feature NEMA universal fit, are ETL Intertek Certified, and meet other global industry standards including Marine UL, CE and ABYC. Powersmart™

technology informs the boater of normal and abnormal conditions. Designed for style with clean lines, luxurious, strong materials, and functionality that simplifies installation and ease of use. Available in white, grey, stainless, square or round to meet your aesthetic needs. Furrion inlets power living luxury onboard.







F30INR-PS

F30INS-SS

F30INS-PS

316I Stainless Steel REAR ENCLOSURE:

steel, marine grade

BRACKET:


Specifications:
OUTER CASINGS:
Fiber-filled, UV Stabilized
Lanxess PBT with 316L
stainless steel logo cover or
hand polished, 316L stainless

PA - UL Flammability rating 94V-O

TERMINALS & PINS:

Nickel-plated brass pins, corrosion-resistant

TESTED TO MARINE UL 498 AND CSA C22.2 STANDARDS, ETL INTERTEK CERTIFIED





OPEN







Furrion shore-power is engineered and tested to meet global industry standards including Marine UL, CE, ETL, USCG, ABYC ETL Intertek Certified



30 AMP/125V



50 AMP/125V



50 AMP/125/250V



Specifications: **OUTER CASINGS:** Fiber-filled, UV Stabilized Lanxess PBT with 316L stainless steel logo cover or hand polished, 316L stainless

steel, marine grade

REAR ENCLOSURE: PA - UL Flammability rating 94V-O

TERMINALS & PINS: Nickel-plated brass pins, corrosion-resistant

TESTED TO MARINE UL 498 AND CSA C22.2 STANDARDS, ETL INTERTEK CERTIFIED

BRACKET: 316I Stainless Steel

50 AMP POWER INLETS

With Powersmart[™] Technology

The 50 Amp power inlets are constructed with marine grade materials designed for safety and optimal performance even in the harshest of weather conditions. Engineered to work with a wide range of boats, Furrion inlets feature NEMA universal fit and meet global industry standards. Equipped with Powersmart™ technology, Furrion power inlets inform the boater of normal or abnormal electrical conditions, ensuring proper functionality. With a modern aesthetic design, durability, performance and functionality, Furrion inlets power onboard living luxury.







SQUARE WHITE

ROUND STAINLESS

ROUND WHITE

ITEM#	LCI#	RATING	DESCRIPTION
F50INR-PS	382409	50A, 125V	Round, White
F50INS-PS	381658	30A, 125V	Square, White
F50INS-SS	381659	30A, 125V	Round, Polished Stainless Steel
F52INR-PS	382338	50A, 125/250V	Round, White
F52INS-PS (AM)	381660	50A, 125/250V	Square, White
F52INS-PS (OEM)	381606	50A, 125/250V	Square, White
F52INS-BS	381604	50A, 125/250V	Square, Black
F52INS-SS	381661	50A, 125/250V	Round, Polished Stainless Steel



OPEN







50 AMP/125V

50 AMP/125/250V



Furrion shore-power is engineered and tested to meet global industry standards including Marine UL, CE, ETL, USCG, ABYC ETL Intertek Certified

TV/SATELLITE/TELEPHONE INLETS


Manufactured to withstand harsh marine environments with modern and sleek styling. Constructed with high-quality, marine grade materials with a universal fit and a 5-year warranty.

ITEM#	LCI#	DESCRIPTION
FPTINR-PS	382790	Round, Non-metallic
FTVINB-BS	381608	Mini TV/Sat. Inlet Square/Black
FTVINB-PS	381609	Mini TV/Sat. Inlet Square/White
FTVINS-GS	381610	TV/Sat. Inlet Square/Grey
FTVINS-PS	381611	TV/Sat. Inlet Square/White



30 AMP/125V







ADAPTERS & CONNECTORS

STRAIGHT ADAPTERS With Powersmart[™] LED Technology

Modern design meets functionality and optimal performance. Powersmart bright blue LED technology notifies the boater of normal and abnormal conditions. Furrion straight adapters are constructed with heavy-duty, corrosion-resistant, marine grade materials to the highest quality standards; and are engineered to meet marine industry standards including Marine UL/cUL, CE and ABYC. ETL Intertek Certified.

Features:

- · Constructed with marine grade, corrosion-resistant materials for strength and durability in harsh environments
- Furrion's Powersmart LED indicates normal or abnormal conditions
- Universal fit with other brands (NEMA)
- Meets global marine industry standards
- 5-year warranty

Specifications:

Rated: 125V Casing: PC


Blades: Nickel-plated brass plugs made

to NEMA standards

ITEM#	LCI#	BOAT (FEMALE)	DOCK (MALE)
F1530AD-SS	381662	30A	15A
F3015AD-SS	381663	15/20A	30A









30A (Dock)





Female (Boat)

Female (Boat)

Male (Dock)

F1530AD-SS

F3015AD-SS

PIGTAIL ADAPTERS

With Powersmart™ LED Technology

Marine pigtail adapters are used to convert plug sizes. Furrion pigtail adapters are made to stringent quality standards, constructed with high-grade, corrosion resistant materials for longevity in the harsh marine environment. Designed for safety, Powersmart™ or Faultsmart™ indicators provide valuable, real-time information. Plug-ends feature ergonomic side grips for easy, user-friendly connection. Furrion adapters meet global industry standards, NEMA universal fit with other brands, cables are rated up to 600V, 105°C, and a bonus sealing collar is included with all pigtail adapters except for FP1530SY. Furrion stands behind its shore-power products with a 5-year warranty. 50A adapters include heavy-duty storage bag.





Powersmart[™] Voltage indicator



Faultsmart™ Reverse Polarity and Neutral Loss Indicator





ITEM#	LCI#	BOAT (FEMALE)	DOCK (MALE)
FP1530-SY	381704	15A Connector	30A Plug
FP3015-SY	381706	30A Connector	15A Plug
FP3050-SY	381707	30A Connector	50A, 125V Plug
FP3055-SY	381708	30A Connector	50A, 125/250V Plug
FP3015-SS	381705	30A Connector	15A Plug
FP1530-SS	381703	15A Connector	30A Plug
FP5515-SY	381653	50A, 125/250V Connector	50A, 125/250V Plug

ITEM#	LCI#	BOAT (FEMALE)	DOCK (MALE)
FP5030-SY	381709	50A, 125V Connector	30A Plug
FP5055-SY	381710	50A, 125V Connector	50A, 125/250V Plug
FP5530-SY	381711	50A, 125/250V Connector	30A Plug
FP5550-SY	381712	50A, 125/250V Connector	50A, 125V Plug









Female

50A/125V

FP5030-SY

15A

30A

FP3015-SY



Female

FP1530-SS

15A 30A Female

FP5055-SY

Female 125/250V

50A

Male

50A/125V

FP5030-SY



50A/125V Female



50A/125V Female 125/250V

FP3055-SY

50A

FP5515-SY

50A/125V

00/1/120V	00/1
Female	125/250
	Male

FPSS	3U-S1
7	

50A 125/250V Female

FP5550-SY


50A 125V Female

"		7
A	30A	50A
E01/	Mala	125 (250) (



Y-ADAPTERS

With Powersmart™ LED Technology



















F3050Y-SY

F3052Y-SY








F5052Y-SY F5252Y-SY



50A Y-Adapters include heavy-duty storage bag

ITEM#	LCI#	BOAT (FEMALE)	DOCK (MALE)
F1530Y-SY	381713	(2) 15A Connectors	30A Plug
F3030Y-SY	381714	(2) 30A Connectors	30A Plug
F3050Y-SY	381715	(2) 30A Connectors	50A, 125V Plug
F3052Y-SY	381716	(2) 30A Connectors	50A, 125/250V Plug





F3050Y-SY
(2) 30A Female
50A. 125V Male

F3052Y-SY
(2) 30A Female
50A, 125/250V Male

ITEM#	LCI#	BOAT (FEMALE)	DOCK (MALE)
F5050Y-SY	381717	(2) 50A, 125V Connectors	50A, 125V Plug
F5052Y-SY	381718	(2) 50A, 125V Connectors	50A, 125/250V Plug
F5252Y-SY	381719	(2) 50A 125/250V Connectors	50A, 125/250V Plug

F5050Y-SY
(2) 50A, 125V Female
50A, 125V Male

F5052Y-SY
(2) 50A, 125V Female
50A, 125/250V Male

F5252Y-SY
(2) 50A, 125/250V Female
50A, 125/250V Male

CONNECTORS AND PLUGS

The Furrion Female Connectors and Male Plugs are constructed with heavy-duty, marine grade materials to the highest quality standards for durability. They feature universal fit to other brands and nickel-plated brass blades. When used in conjunction with Furrion covers (shown below), they can be used in wet locations. Furrion stands behind its shore-power products with a 5-year warranty.

100% quality assured control of the control of the

15, 30 & 50 AMP FEMALE CONNECTORS & MALE PLUGS



ITEM#	LCI#	DESCRIPTION	COLOR
F15FMP-SY	381668	15A/20A Female Connector	Yellow
F30FMP-SY	381676	30A, 125V Female Connector	Yellow
F50FMP-SS	381682	50A, 125V Female Connector	Black
F52FMP-SS	381685	50A, 125/250V Female Connector	Black
F15MLP-SY	381669	15A Male Plug	Yellow
F30MLP-SY	381677	30A, 125V Male Plug	Yellow
F50MLP-SS	381683	50A, 125V Male Plug	Black
F52MLP-SS	381685	50A, 125/250V Male Plug	Black

30 & 50 AMP COVERS



ITEM#	LCI#	FITS	COLOR
F30CVL-SY	381675	30A Female Connector	Yellow
F50CVL-SY	381681	Cover for 50A Female Connector	Yellow
F30COV-SY	381673	30A Male Plug	Yellow
F50COV-SY	381679	Cover for 50A Male Plug	Yellow
F30CVL-SS	381674	30A Plug Cover	Titanium Silver
F50CVL-SS	381680	50A Plug Cover	Titanium Silver



ANTI-INTERFERENCE TV CABLES

With Signalsmart™ Anti-interference Filter

When run over long lengths, telephone and TV cables in marinas act as antennas, picking up unwanted radio signals that cause interference. Furrion's anti-interference filters are installed inline and help reduce static and interference to improve your connection quality.

Features:

- Bonus weatherproof bag for storage and protection
- Marine grade coax cable, vinyl insulated for weatherproofing with slip on 'F' type male connections with protective cover
- Universal fit with other brands

ITEM#	LCI#	LENGTH	COLOR
FTVC25-SY	382406	25'	Yellow
FTVC50-SY	382333	50'	Yellow



12 VOLT DEVICES

The Furrion 12V devices offer charging of cell phones, tablets and other electronics while onboard. The product line includes a Dual USB Port with 1.1A and a 2.1A ports and LED power indication, a Universal 12V receptacle, car cigarette type connection, and a 12V combination Dual USB and 12V Receptacle with two USB ports and LED indicating power to the device. 12V devices feature rubberized, water-resistant covers to prevent water and dirt from entering. They are constructed with corrosion-resistant materials to ensure solid contact and durability in the marine environment, and are ideal for onboard charging needs.

ITEM#	LCI#	DESCRIPTION
F12VRSB	381729	12V Combination - 12V Receptacle & Dual USB Port with LED Indicator
F12VR	381727	12V Receptacle
F12SB	381726	12V Dual USB Port with LED Indicator (1.1A, 2.1A Ports)
F12P6CE	381721	12V 6 ft. Coil Cord set
F12PTR	381722	12V Triple Receptacle







AC TVs



DC TVs



TV ACCESSORIES







DESIGNED TO ENTERTAIN, BUILT TO MOVE

Furrion's world-class televisions provide optimal performance while withstanding the vibration felt on the open water and exposure to extreme temperatures. Features of the ultra-slim LED televisions include: full 1080P high definition viewing, a beautiful A+ vivid panel, efficient LED technology for added brightness, enhanced audio amplifiers and speakers, Dolby Digital® sound, and a wide range of connectivity options for your console or DVD needs. Combining advanced Vibrationsmart™ and Climatesmart™ technology, durable construction, connectivity and style, the LED HD TVs from Furrion offer state-of-the-art entertainment onboard.

DESIGNED AND TESTED FOR ONBOARD APPLICATIONS

1. METAL PLATING FOR EXTRA DURABILITY

The unique design provides a strong and durable housing for electronic and wall mounting components

2. METAL WALL MOUNT BRACKETS

The heavy-duty wall mount brackets are fixed directly to the metal framing. This balances the vibration force between the metal components and reduces pressure in areas prone to damage

3. VIBRATION RESISTANT CIRCUIT BOARDS


Silicone glue is used to protect the circuit board components from stress caused by vibration. The same process is used in mobile phone technology for shock absorption

4. ENERGY EFFICIENT HIGH BRIGHTNESS

Combining LED technology with energy efficiency to allow for crisp, clear viewing with minimal power consumption

5. BEAUTIFULLY VIVID A+ PANEL

Providing the highest quality viewing experience with error-free resolution





Furrion's audiovisual electronics including HD LED televisions feature advanced technology, deliver world-class performance, picture and sound quality, and enhance your onboard entertainment experience.



6. UPGRADED FURRION AMPLIFIER AND SPEAKERS

Providing high-quality audio for an optimized cinematic experience

7. HDMI 1.4

HDMI 1.4 features the latest digital advances to connect your high definition video devices: Full HD 1080P+ high definition video, ultra-high speed digital and audio cable with high purity copper conductors and durable gold-plated connectors for maximum signal transfer

8. AUDIO OUT

With audio out, plug your headphones or speakers directly into the TV's port to amplify or direct your TV's audio

9. SIDE OR BOTTOM ACCESS CONTROLS

Easily control your TV's functions from the main console









AC TELEVISIONS







MODEL	58" LED HD TV	50" LED HD TV	48" LED HD TV
PART#	FEFS58E7A	FEFS50T9A	FEFS48F7A
LCI#	381623	381621	381619
TYPE	LED FHD TV	LED FHD TV	LED FHD TV
MAX. RESOLUTION	1920 x 1080 @60Hz, FHD	1920 x 1080 @60Hz, FHD	1920 x 1080 @60Hz, FHD
POWER CONSUMPTION	180W	150W	140W
CURRENT DRAW	1.5A	1.25A	1.17A
VOLTAGE INPUT	120V	120V	120V
SPEAKER	10W x 2	10W x 2	10W x 2
DOLBY DIGITAL	Yes	Yes	Yes
TV STAND INCLUDED	Yes	Yes	Yes
DIMENSIONS	50.8" x 2.27" x 29.7"	44.32" x 3.92" x 25.74"	42.69" x 2.99" x 24.83"
ENERGY STAR	No	No	No
НДМІ	3	3	3
VGA VGA	1	1	1
YPBPR	1	1	1
VGA YPBPR AV IN RF	1	1	1
O RF	1	1	1
USB (for software updates only)	1	1	1









AC TELEVISIONS









MODEL	39" LED HD TV	32" LED HD TV	29" LED HD TV	24" LED HD TV
PART#	FEHS39N8A	FEHS32D9A	FEHS29T8A	FEHS24T8A
LCI#	381629	381627	381626	381625
TYPE	LED HD TV	LED HD TV	LED HD TV	LED HD TV
MAX. RESOLUTION	1366 x 768 @60Hz HD	1366 x 768 @60Hz HD	1366 x 768 @60Hz HD	1366 x 768 @60Hz HD
POWER CONSUMPTION	75W	60W	60W	40W
CURRENT DRAW	0.625A	0.5A	0.5A	0.33A
VOLTAGE INPUT	120V	120V	120V	120V
SPEAKER	10W x 2	10W x 2	10W x 2	5W x 2
DOLBY DIGITAL	Yes	Yes	Yes	Yes
TV STAND INCLUDED	No	No	No	No
DIMENSIONS	35.04" x 3.46" x 20.56"	29.25" x 3.18" x 17.49"	26.38" x 2.99" x 15.79"	22.13" x 2.09" x 13.8"
ENERGY STAR	Yes	No	Yes	Yes
HDMI	3	3	3	1
VGA VGA	1	1	1	1
O YPBPR	1	1	1	1
AV IN	1	1	1	1
S RF	1	1	1	1
USB (for software updates only)	1	1	1	1









DC TELEVISIONS

Furrion's DC HD LED Televisions feature Climatesmart™ and Vibrationsmart™ technology to withstand the vibration of open waters and temperature variances. Built-in surge suppression ensures an optimal picture eliminating distortion from voltage fluctuations. Furrion 19" and 24" DC televisions include a DVD for your viewing pleasure.





MODEL	24" LED HD TV/DVD COMBO	19" LED HD TV/DVD COMBO
PART #	FEHD24SOA	FEHD19SOA
LCI#	381616	381614
TYPE	LED (LCD with LED backlight)	LED (LCD with LED backlight)
MAX. RESOLUTION	1366 x 768	1366 x 768
REFRESH RATE	60 Hz	60 Hz
VOLTAGE INPUT	12V* DC	12V DC
SPEAKER	Custom Furrion Upgraded Speakers & Amplifier	Custom Furrion Upgraded Speakers & Amplifier
DOLBY DIGITAL	No	No
TV STAND INCLUDED	No	No
DIMENSIONS	22.91" × 2.05" × 14.51"	17.95" x 1.85" x 11.61"
ENERGY STAR	No	No
НДМІ	1	1
VGA VGA	1	1
YPBPR	1	1
AV IN	1	1
O RF	1	1
USB (for software updates only)	1	1

^{*}Static isolator reduces image noise and static caused by 12V power sources









TV ACCESSORIES



SOUND BAR

80 WATT, 12V PASSIVE SOUND BAR

The Furrion 80 Watt Sound Bar is passive and works with your onboard stereo system. Easy to install and designed for durability in the marine environment.

29.5"L x 3.89"H x 2.02"W

ITEM#	LCI#	DESCRIPTION
FSB24SA2C-BL	381547	Sound Bar



RECTANGULAR SOUND BAR SPEAKERS

35 WATT, 12V PASSIVE SOUND BAR

The Furrion 35 Watt Sound Bar is passive, 12V, and works with your onboard stereo system. It features a fiberglass reinforced cone designed to extend frequency response while minimizing distortion, a mid-range speaker with a tweeter for superior sound, and easy installation.

8"L x 4.625"H x 2.5"W

ITEM#	LCI#	DESCRIPTION
FSBT43S-BL	424745	Rectangular Sound Bar Speakers (Pair)



SUBWOOFER

8" PASSIVE SUBWOOFER

- 60 Watts max power
- Sensitivity 85dB
- Frequency 45Hz 3KHz
- Impedance of 4Ω

ITEM#	LCI#	DESCRIPTION
FSUB8	381548	Subwoofer



TV WALL MOUNT BRACKET

FOR 29" AND 32" TVs WITH 200 X 100 VESA BOLT PATTERN

 Designed and tested for strength and overall durability

ITEM#	LCI#	DESCRIPTION
FTBB21-BL	386699	TV Wall Mount Bracket



HDMI CABLES



- 1.4 Gold-Plated
- Full HD 1080P+ high definition video
- Ultra-high speed digital and audio cable
- Durable gold-plated connectors for maximum signal transfer

ITEM#	LCI#	DESCRIPTION
HDMI3FV1	381533	HDMI Cable, 3 ft.
HDMI6FV1	381534	HDMI Cable, 6 ft.
HDMI12FV14	381531	HDMI Cable, 12 ft.
HDMI25EV14	381532	HDMI Cable, 25 ft.



ANTI-INTERFERENCE COAXIAL CABLES

- 25' and 50' anti-interference
- Inline interference filter improving reception
- Weatherproof RG59-U connectors for outdoor use

For more information, see page 21

ITEM#	LCI#	DESCRIPTION
FTVC25-SY	382406	TV Cable, 25 ft.
FTVC50-SY	382333	TV Cable, 50 ft.





INDUCTION COOKTOPS



DISHWASHERS



MICROWAVES







LIVING LUXURY ONBOARD

Equipped with Vibrationsmart™ and Climatesmart™ technologies, the galley appliances are engineered and constructed to withstand vibration and extreme temperatures. Designed for performance in the marine environment, power draw and water usage are kept to a minimum. Furrion has developed cooking technologies to simplify and expedite the cooking process that are designed for use while in motion. Let the sleek style, functionality and performance of Furrion galley appliances inspire you to create your own dream galley. A galley that makes cooking effortless, a place where you, your family and guests can enjoy living luxury onboard.









DUAL BURNER INDUCTION COOKTOP

With the intuitive and innovative Loadsmart power management system, Furrion's induction cooktops balance optimal performance, safety, functionality and convenience. The magnetic induction technology directly heats cooking devices, rapidly increasing temperatures in a short time. Thus, boaters can cook with less time, less energy and more precision.







Loadsmart Dual Burners

The intuitive power management system balances load between each zone



Sensor Touch Control

Conductive controls make operation quick and easy

FIH2ZEA-BG

Features:

- Timer: up to 180 minutes with hold touch settings
- 11 temperature control settings (Temperature range: 150-450°F)
- LED temperature display
- 13 Amp maximum draw, power sharing
- Automatic safety shutdown
- Sleek and smooth surface for easy clean-up
- Childproof lock
- Stay In Place Pan Holders available to keep pans stable while cooking #424830 (Sold separately)



Digital LED Display

Digital temperature display for precise cooking



Auto-Pan Detection Safety

Induction zones automatically switch off when no pan is detected

MODEL PART

LCI#	381578
CONFIGURATION	
NO. OF COOKING ZONES	2
MAXIMUM LOAD	1800W
LEFT COOKING ZONE 1 - 7"	1500W
RIGHT COOKING ZONE 2 - 7"	1500W
WARMING FUNCTION	Both Zones
POWER SHARING BOTH ZONES	Both Zones

CONTROL

TYPE	Electronic Glass Touch
LOCATION	Front
TOUCH PADS	12
TIMER	1 - 180 minutes

Flat bottom cast iron, enamel cast iron and most types of steel cookware can be used with an induction cooktop. * Do not use aluminum, copper or glass based cookware.

SAFETY FEATURES

AUTOMATIC SHUT-OFF	Yes
HOT SURFACE INDICATION	Yes

FINISH

SURFACE/TRIM	Ceramic Black Glass

POWER SOURCE

ELECTRIC SUPPLY	120V AC 60Hz
MAX. AMP LOAD	15 Amp
POWER CABLE LOCATION	Rear Center
TOTAL CONNECTED LOAD	1500W
WARMING FUNCTION	1800W
POWER SOURCE	Electric

DIMENSIONS

GLASS SIZE	14.96" x 24.41"
PRODUCT SIZE	24.41" x 14.96" x 2.52"
WEIGHT	15.65 lbs





SINGLE BURNER INDUCTION COOKTOP

With the intuitive and innovative Loadsmart™ power management system, Furrion's induction cooktops balance optimal performance, safety, functionality and convenience. The magnetic induction technology directly heats cooking devices, rapidly increasing temperatures in a short time. Thus, boaters can cook with less time, less energy and more precision.







Time and power features

Timer up to 180 minutes with hold touch settings, 13 Amp maximum draw, power sharing



Temperature features

11 temperature control settings, temperature range 150-450°F, LED temperature display



Stay in place pan holders

Keep your pans stable while cooking. These silicone pads handle heat up to 450°F. Sold separately, 8" diameter 428430



Safety features

Automatic pan detection, automatic safety shutdown, childproof lock

MODEL

PART#	FIH1ZEA-BG
LCI#	424718

CONFIGURATION

NO. OF COOKING ZONES	1
MAXIMUM LOAD	1800W
COOKING ZONE 2 - 7"	1500W
WARMING FUNCTION	Yes

CONTROL

TYPE	Electronic Glass Touch
LOCATION	Front

FINISH

SURFACE/TRIM	Black Crystal Glass
SURFACE/TRIM	Top Plate

Flat bottom cast iron, enamel cast iron and most types of steel cookware can be used with an induction cooktop. * Do not use aluminum, copper or glass based cookware.

SAFETY FEATURES

AUTOMATIC SHUT-OFF	Yes
CHILD LOCK	Yes
RESIDUAL HEAT	Yes
PAN SENSOR	Yes

POWER SOURCE

POWER LEVEL	8 Level
ELECTRIC SUPPLY	120V AC 60Hz
MAX. AMP LOAD	15 Amp
WARMING FUNCTION	1800W
POWER CABLE LOCATION	Rear Center
TOTAL CONNECTED LOAD	1500W
POWER SOURCE	Electric

DIMENSIONS

PRODUCT SIZE	12.52" x 15.04" x 2.56"
WEIGHT	6.61 lbs





DISHWASHER

With its exceptional power and range, the Furrion dishwasher is designed for effective, efficient cleaning. Featuring a unique wash management system that ensures optimal performance while reducing water consumption, it is equipped with special insulation to keep noise to a quiet 55 decibels or less.





Durable and Lasting Finish

Luxurious stainless steel design fits beautifully with any décor



Durable Racks

Power, Start, Program

Yes

Designed for efficient loading and to secure dishes while in motion



Control Panel

Fully integrated light-touch electronic controls



Bright Annealed Stainless Steel Interior

Ideal for onboard applications with low water usage per cycle and annealed to relieve internal stresses from water heat during washing

MODEL

CAPACITY (SETTINGS)

KNOB FUNCTION

PART #	FDW18SAS-SS
LCI#	381569
PROGRAM	
HEAVY	Yes
POTS & PANS	Yes
NORMAL WASH	Yes
ENERGY SAVER	Yes
RINSE ONLY	Yes
QUICK WASH	Yes
SOAK	Yes
LIGHT	Yes
GLASS	Yes
WARMING FUNCTION	1800W
CONTROLS	
VOLTAGE/FREQUENCY	Electronic

SPECIAL FEATURES

HEATING DRY	Yes
PRESSURE BALANCE STRUCTURE	Yes
ANTI-FLOOD DEVICE	Pressure Switch
SPECIFICATION	
VOLTAGE/FREQUENCY	120V/60Hz
CAPACITY (SETTINGS)	8
COLOR	Silver Grey
OUTER DOOR MATERIAL	Stainless Steel
PERFORMANCE	
ENERGY EFFICIENCY CLASS	2012 Energy Star
WASHING PERFORMANCE	83
WATER CONSUMPTION	16L (4.2 gal.)
DRYING INDEX	≥60%
NOISE LEVEL	≤55B
DIMENSIONS	19" x 24.41" x 34.84"
WEIGHT	69.5 lbs





COMPACT DISHWASHER

With its compact size and powerful performance, the Furrion dishwasher is designed for effective, efficient cleaning. Its unique wash management system ensures each item gets cleaned while reducing water consumption. The dishwasher's special insulation keeps noise to a quiet 55 decibels or less.



PART#	FDW18SAC-SS
LCI#	381568

PROGRAM

HEAVY	Yes
NORMAL WASH	Yes
RINSE ONLY	Yes
QUICK WASH	Yes
SOAK	Yes
LIGHT	Yes
GLASS	Yes
WARMING FUNCTION	1800W

CONTROLS

001111020	
VOLTAGE/FREQUENCY	Electronic
CAPACITY (SETTINGS)	On/Off, Program, Delay
KNOB FUNCTION	Yes



Durable and Lasting Finish

Luxurious stainless steel design fits beautifully with any décor



Control Panel

Fully integrated light-touch electronic controls located at the top of drawer



Durable Racks

Designed for efficient loading and to secure dishes while in motion



Bright Annealed Stainless Steel Interior

Ideal for onboard applications with low water usage per cycle and annealed to relieve internal stresses from water heat during washing

SPECIAL FEATURES

WATER SENSOR	Flowmeter
PRESSURE BALANCE STRUCTURE	Yes
ANTI-FLOOD DEVICE	Pressure Switch
SPECIFICATION	
VOLTAGE/FREQUENCY	120V/60Hz
CAPACITY (SETTINGS)	6
COLOR	Silver Grey
OUTER DOOR MATERIAL	Stainless Steel
PERFORMANCE	
ENERGY EFFICIENCY CLASS	2012 Energy Star
WASHING PERFORMANCE	80
WATER CONSUMPTION	13L (3.5 gal.)
NOISE LEVEL	≤55B
DIMENSIONS	25.39" x 24.41" x 22.36"
WEIGHT	68.35 lbs





STAINLESS STEEL MICROWAVE WITH CONVECTION OVEN

The Furrion digital microwave combines power and efficiency. Its large 1.5 cu. ft. capacity, speed bake 1450W convection oven and 1500W microwave cooking delivers fast, oven-quality results. Other features include 10 power settings, electronic controls, eight programmed one-touch menu settings, and two speed, 300-cfm venting system, which makes cooking easier, simpler, and faster – the comforts of home onboard.



Features:

- Convenient cooking controls make operation effortless
- Pre-programmed defrosting times and power levels for optimal results
- Speed bake convection and microwave cooking delivers fast, oven-quality results
- Two-speed, 300-cfm venting system removes smoke, steam and odors efficiently
- Large 1.5 cu. ft. capacity with 1500W microwave and 1450W convection function



Sleek Design

Luxurious stainless steel design fits beautifully with your décor. Also available in high-gloss black.



Sensor Touch Control

Conductive controls make operation quick and easy



Larger Capacity

Large 1.5 cu. ft. capacity with 1500W microwave and 1450W convection functionality



Convection Baking

Speed bake convection and microwave cooking combine to deliver efficient, oven-quality results

MODELS

STAINLESS STEEL PART #	FMCM15-SS
LCI#	381561
BLACK PART #	FMCM15-BL
LCI#	381560
SPECIFICATIONS	
OVEN CAPACITY	1.5 cu. ft. (4.2L)
POWER SOURCE	120V/60Hz
RATED OUTPUT POWER (CONVECTION)	1450W
RATED INPUT POWER (MICROWAVE)	1500W
DISPLAY TYPE	LED

CONTROL METHOD	Electronic
MW TYPE	Turnable
TURNTABLE DIAMETER	13.6"
TURNTABLE MATERIAL	Glass
POWER LEVEL	10
MAX. COOKING TIME	99"99'
AUTO COOK	Yes
CHILD LOCK	Yes
REMINDER END SIGNAL	Yes
WEIGHT – BLACK	67.24 lbs
WEIGHT – STAINLESS STEEL	71.65 lbs
DIMENSIONS	20.24" x 14.02" x 8.94"

SEATING





CUSTOM FURNITURE



TRANSFORMATIVE FURNITURE



MARINE FURNITURE



HELM SEATING





CUSTOM FURNITURE

With more than 35 years of experience manufacturing furniture for the marine industry, our well-versed engineering, R&D and design labs consistently provide high quality products and continuously introduce thoughtful innovations to the market. Utilizing customer input and our team of knowledgeable industry professionals, we offer creative and diverse solutions for the marine lifestyle.



CONSTRUCTION

Lippert furniture and seating is manufactured in the U.S. A vertically



integrated company, Lippert facilities have the ability to rotationally mold plastics, custom upholster with Gerber,

CNC and custom quilting machinery on site. Advanced manufacturing and assembly techniques ensure high quality products and timely delivery.

How we construct our products:

- Polyethylene or e-coated steel frames for longevity, durability in the marine environment
- Premium quality vinyl that is UV and mildew resistant
- Virgin, mildew-resistant, polyurethane foam with protective plastic film
- Aluminum hinges with stainless steel pins and external fasteners made of corrosionresistant zinc or nickel plating
- Bonded polyester thread, UV-resistant
- High quality upholstery and Innovative quilting
- Active quality control, vertically integrated manufacturing

CUSTOM PLASTIC PARTS

Lippert's rotational molding facility has the ability to develop and create custom parts for the marine industry. With state-of the-art machinery and processes, our team can deliver high-quality parts designed for longevity in harsh environments.













CUSTOM MARINE SEATING

1. THOROUGHLY E-COATED STEEL FRAME

Salt spray tested, designed for longevity in the marine environment.

2. MULTIPLE DENSITY **FOAM PACKS**

comfort & durability

3. PROFESSIONAL QUILTING

Customizable design that repeats and touches

4. SELF-LEVELING, **ERGONOMIC ARMS**

6. UNIVERSAL HOLE **PATTERN**

For easy installation of marine hardware



That resists UV rays, mold and mildew; bonded UV resistant, polyester thread


8. MESH POCKETS

Are able to be added on the back or sides for storage

9. EMBROIDERY **CAPABILITIES**

TRANSFORMATIVE FURNITURE

Lippert's transformative furniture is designed to maximize space and functionality to enhance the boating experience. Engineered for ease of movement, comfort and durability, each of Lippert's custom transformative furniture solutions solves the space equation without compromising quality, style or reliability. Offering privacy in small spaces, additional sleeping areas and more comfort, Lippert has the ability to customize transformative furniture for your boat.











REPLACEMENT PONTOON FURNITURE

AFTERMARKET

CONSTRUCTED FOR COMFORT, DURABILITY & LONGEVITY

Quality workmanship and unsurpassed comfort are the foundation upon which every piece of Lippert Platinum Series Pontoon Furniture is built. Equally impressive is the high level of functionality this furniture offers.

With more than 35 years of experience building marine furniture for leading pontoon boat manufacturers, our skillful engineering, R&D and design labs have developed replacement pontoon furniture that is stylish, comfortable and constructed for durability, strength and a long life span in the harsh marine environment. With seventeen items and two monochromatic, neutral fabric options, we have the seating solutions to suit your boating needs.

Features & Benefits:

• FRAME:

Rotationally-molded, marine grade polyethylene frame, designed to resist warping with thicker polyethylene walls, added support and unique molding lines

• STORAGE:

Large dry storage area under hinged seats, livewell ready compartments, channels built into the bases assist with drainage

• COMFORT:

Multiple foam densities provide support and comfort. Furniture depths and heights are sized for comfort onboard

• CORROSION RESISTANCE:

- Aluminum seat hinges
- Stainless steel staples & mounting fasteners

• VINYL & FOAM:

- Premium marine grade vinyl
- Mildew, UV resistant laminated vinyl
- Bonded, polyester, color fast, UV-resistant threads
- Mildew resistant polyurethane foam
- Two dynamic monochromatic color offerings based on colors used by leading OEM builders today – dove grey & beige



REPLACEMENT PONTOON FURNITURE

BENCH SEATS

Relax and unwind on the bench seating that sets the industry standard. Our rotationally-molded bench seating frames and bases allow for the most seating support and storage capacity within the marine and pontoon furniture industry.





LCI#	DESCRIPTION
433060	30" Bench Seat Beige
433100	30" Bench Seat Grey
433061	36" Bench Seat Beige
433104	36" Bench Seat Grey
433062	50" Bench Seat Beige
433105	50" Bench Seat Grey











Shown in dove grey

CORNERS

Designed to seamlessly integrate with all lines of pontoon seating available in the marine market, our corner seats offer a simple and effective replacement option.

LCI#	DESCRIPTION
433042	32x32 Square Corner Beige
433066	32x32 Square Corner Grey
433064	32x32 30" Radius Corner Beige
433107	32x32 30" Radius Corner Grey



REPLACEMENT PONTOON FURNITURE



CHAISES, ARMS & CUPHOLDERS

Boasting a variety of uses from additional storage space to optional privacy areas for changing.



LCI#	DESCRIPTION
433058	17" Left Chaise Beige
433098	17" Left Chaise Grey
433059	17" Right Chaise Beige
433099	17" Right Chaise Grey









LCI#	DESCRIPTION
433043	8.5" Left Arm Beige
433067	8.5" Left Arm Grey
433044	8.5" Right Arm Beige
433068	8.5" Right Arm Grey

Our customizable cupholders are designed for functionality while minimizing onboard space usage and providing configuration versatility. Cooling options available.

LCI#	DESCRIPTION
433047	Mobile Cupholder Beige
433069	Mobile Cupholder Grev







Shown in beige

REPLACEMENT PONTOON FURNITURE

HELM STATIONS

Featuring rotationally-molded polyethylene construction and designed to resist warping with strong wall thicknesses, our helm stations are not only contemporary and attractive, but functional and easy to install.

LCI#	DESCRIPTION
433049	41"w Helm Stand Beig

433070 41"w Helm Stand Grey





LCI#	DESCRIPTION
433065	34"w Helm Stand Beige
433108	34"w Helm Stand Grey



BUCKET SEAT





Touting a sporty appearance, our bucket seating offers the driver flexibility and comfort.

LCI#	DESCRIPTION
433050	Bucket Seat Beige
433094	Bucket Seat Grey

LOW BACK SEAT

Low back helm seating marries comfort with functionality. The self-leveling arms provide added luxury.

	LCI#	DESCRIPTION
4	433051	Low Back Seat, Non Recline w/Arm Beige
4	433095	Low Back Seat, Non Recline w/Arm Grey











433054


433096

433097

High Back Seat, Recline w/Arm w/Bolster Beige

High Back Seat, Recline w/Arm w/Bolster Grey

High Back Seat, Recline w/Arm Grey







Lippert Components proudly introduces our range of helm/ pilothouse seats. Constructed for performance, comfort and longevity in the marine environment with corrosion-resistant, e-coated steel frame and stainless hardware. Designed for comfort with multiple density foam packs, headrests, the ability to recline and self leveling arms. Ultra leather, premium, soft touch vinyl that also resists UV rays, mold and mildew, mesh pockets and dynamic stitch lines provide modern styling, aesthetically pleasing design. Low, Mid and High Back seats, Mid and High back models with and without bolster. Available in three colors (Bone - White, Onyx - Black, Cognac).



Bone - White



Onyx – Black



Cognac



Pedestals and associated hardware not included. Seats only.

BLACK LABEL HELM SEATING

HIGH BACK SEAT





not included. Seats only.



BLACK LABEL HELM SEATING

MID BACK SEAT





BLACK LABEL HELM SEATING

LOW BACK SEAT











Pedestals and associated hardware not included. Seats only.



SPECS

PLATINUM SERIES REPLACEMENT PONTOON FURNITURE

DESCRIPTION	BEIGE	DOVE GREY	WEIGHT	LENGTH	WIDTH	HEIGHT
BENCHES						
LCI 30" Bench Seat	433060	433100	54 lbs.	30"	22"	30"
LCI 36" Bench Seat	433061	433104	65 lbs.	36"	22"	30"
LCI 50" Bench Seat	433062	433105	80 lbs.	50"	22"	30"
CORNERS						
32x32 Square Corner	433042	433066	67 lbs.	32"	22"	30"
32x32 30" Radius Corner	433064	433107	67 lbs.	32"	26"	30"
CHAISES						
17" Left Chaise	433058	433098	31 lbs.	26"	17"	32"
17" Right Chaise	433059	433099	31 lbs.	26"	17"	32"
HELM STATIONS						
34" w Helm Stand	433065	433108	55 lbs.	34"	26"	34"
41" w Helm Stand	433049	433070	45 lbs.	41"	36"	39"
ARMS & CUPHOLDERS						
8.5" Left Arm	433043	433067	21 lbs.	8.5"	25"	28"
8.5" Right Arm	433044	433068	21 lbs.	8.5"	25"	28"
Mobile Cupholder	433047	433069	4 lbs.	13.5"	6.5"	5.5"
SEATS						
Bucket Seat	433050	433094	35 lbs.	23"	26"	23"
Low Back Seat, Non Recline w/Arms	433051	433095	35 lbs.	23"	26"	23"
High Back Seat w/Recline & Arms	433053	433096	46 lbs.	28.5"	26"	37"
High Back Seat w/Recline, Arms & Bolster	433054	433097	46 lbs.	27"	26"	37"
Flip Flop Seat	433063	433106	48 lbs.	34.5"	25.5"	31"

BLACK LABEL HELM SEATING

DESCRIPTION	PART#	WEIGHT	LENGTH	WIDTH	HEIGHT
LOW BACK HELM SEAT					
LCI Low Back Helm Seat w/Recline, Bone	434110	35 lbs.	26"	26"	23"
LCI Low Back Helm Seat w/Recline, Cognac	434114	35 lbs.	26"	26"	23"
LCI Low Back Helm Seat w/Recline, Black Onyx	434115	35 lbs.	26"	26"	23"
MID BACK HELM SEAT					
LCI Mid Back Helm Seat w/Recline, Bone	434116	41 lbs.	27"	26"	32"
LCI Mid Back Helm Seat w/Recline, Cognac	434117	41 lbs.	27"	26"	32"
LCI Mid Back Helm Seat w/Recline, Black Onyx	434119	41 lbs.	27"	26"	32"
LCI Mid Back Helm Seat w/Recline & Flip, Bone	434121	46 lbs.	27"	26"	32"
LCI Mid Back Helm Seat w/Recline & Flip, Cognac	434122	46 lbs.	27"	26"	32"
LCI Mid Back Helm Seat w/Recline & Flip, Black Onyx	434123	46 lbs.	27"	26"	32"
HIGH BACK HELM SEAT					
LCI High Back Helm Seat w/Recline, Bone	434124	46 lbs.	28.5"	26"	37"
LCI High Back Helm Seat w/Recline, Cognac	434125	46 lbs.	28.5"	26"	37"
LCI High Back Helm Seat w/Recline, Black Onyx	434126	46 lbs.	28.5"	26"	37"
LCI High Back Helm Seat w/Recline & Flip, Bone	434127	51 lbs.	28.5"	26"	37"
LCI High Back Helm Seat w/Recline & Flip, Cognac	434128	51 lbs.	28.5"	26"	37"
LCI High Back Helm Seat w/Recline & Flip, Black Onyx	434129	51 lbs.	28.5"	26"	37"

BEDDING ∞ర MATTRESSES






MATTRESSES



BEDDING



SHEET SETS & PILLOWS





MATTRESS TECHNOLOGY BY DENVER MATTRESS



A Restful Slumber Awaits You Onboard

Denver Mattress® marine mattresses offer boaters a healthy, comfortable and restful sleep experience onboard. Constructed with plant -based foams and natural materials, the flame retardant mattress range includes 5", 9" and 11" depths. The product line includes several standard marine sizes, and custom sizes are available with a minimum order of 10 units. In addition, Lippert's Denver Mattress marine collection includes mattress pads, pillows and sheets. Lightweight for easy access, Denver Mattresses may be compressed and rolled for shipping and storage, which also makes them more portable and easier to install.

Features:

- Made with luxurious and environmentally-friendly, soy-based BioFlex Foam
- Fire prevention regulations met with natural materials
- Available in a variety of sizes made to perfectly fit, customization capabilities
- Top 6 mattress brand by customer satisfaction (Consumer Reports)
- · Made in the U.S.A.



Every Denver Mattress is made using plant-based foams and other natural materials that promote a healthy and restful sleep experience and comes with a five to ten-year, non-prorated warranty.

Features:

- 99% Recycled steel coil units
- Plant-based, all natural latex foams
- · Highly efficient manufacturing process, minimal waste
- Natural rayon fire barriers



DENVER MATTRESS DISPLAYS

Display the Denver Mattress in your marine or boat dealership or retail store with our Denver display racks.



Features:

- 2 mattress models, 28" x 18"
- 2 pillows, 28" x 20"
- 4 packaged sheet sets/pillow case sets/protectors, any combination of four
- Sheet set fabric swatches, 10" x 10" samples with identification cards
- Mini mattress pads and protectors, 28" x 18" samples can be demonstrated on mini mattresses





SHEET SETS

Our sheet sets include: fitted sheet, extra-long top sheet and 2 pillow cases.



Sateen Sheet Sets:

- 100% cotton, 300 thread count
- Luxurious sateen weave
- Fits mattresses up to 14" deep
- 1 year warranty

Microfiber Sheet Sets:

- Ultra-soft brushed microfiber
- Fits mattresses up to 11" deep
- Heavy-duty elastic perimeter for stay-put fit
- 1 year warranty

Adjustable Sheet Sets:

- Ultra-soft brushed microfiber
- Adjustable drawstring fits unique mattress sizes
- Fits mattresses up to 6" deep
- 1 year warranty



MATTRESS PADS

Features:

- 100% cotton, 350 thread count cover
- Adds 2" of plush polyester down-alternative fill
- Spandex skirt fits mattresses up to 16" deep
- 5 year warranty




PILLOWS

Features:

- 100% cotton, 350 thread count cover
- Hypoallergenic polyester down-alternative fill
- Machine washable and double stitched for durability
- 2 year warranty



LCI#	DESCRIPTION	SIZE
343490	Jumbo Soft Pillow	20" x 28"
343491	King Soft Pillow	20" x 36"
343492	Jumbo Firm Pillow	20" x 28"
343493	King Firm Pillow	20" x 36"





GLASS

Our glass fabrication facilities also produce glass for entry doors, cabinet doors, backsplashes and windshields for a variety of industries. We offer a diverse arrangement of options when it comes to custom glass printing including high-resolution color printing, popular backsplash designs and real-life images. Our specialized glass printer can create replications of marble, granite, and ceramic, which is then used to replace the time-consuming process of installing traditional backsplashes. Once applied to the glass, the ceramic inks are baked into the glass with our tempering process to create a very durable and permanent image on the glass surface.

Facilities

Lippert has two prominent glass fabrication facilities in Goshen, IN. Our glass fabrication facilities offer a variety of capabilities including glass cutting, edging, ceramic printing, fabricating holes, and tempering. Between our two glass fabrication facilities, we currently produce approximately 125,000 pieces of tempered glass with additional capacity available. The tempering process is closely monitored to ensure compliance with industry regulations. Each facility has implemented initiatives that focused on improving the work environment, creating efficiencies and manufacturing the highest quality products.







Glass Printing Capabilities:

- Machine: DipTech
 Digital Inkjet
- Size limits: 65" x 48"
- Print resolution: 360 DPI
- Print thickness: 10um-40um (40um no light transmission)
- Mounting options:
 - Clear drying glass adhesive (Example brand: SIKA)
 - Standoffs (requires holes drilled in glass)
- Minimum order quantity crate shipping: 20 PC

The process for new printed glass development begins with a high resolution photo image or design. Once received, prototypes are created and quotations generated for approval. Final adjustments are then made and production begins.



FURRION LIVING LUXURY



Furrion delivers innovative technology engineered, designed and tested to withstand unique performance levels of mobile applications, including extreme weather climates and road vibrations.

2016 SPECIALTY VEHICLE MASTER CATALOG

AUDIOVISUAL • KITCHEN • CAMERA SYSTEMS • SOLAR • ELECTRICAL



Audiovisual Contents



LED TELEVISION PAGES 08-11



SPEAKERS PAGES 20



STEREOS / ENTERTAINMENT SYSTEMS PAGES 12-17



CABLE / ACCESSORIES PAGE 21



NAVIGATION SYSTEM PAGES 18-19



THE PREFERRED CHOICE FOR RECREATIONAL VEHICLE ENTERTAINMENT.

From the very beginning, Furrion audiovisual products have been designed to enhance your RV experience.

The LED TV is no exception, developed not only for durability, but with technology that delivers world-class performance and picture quality.











DESIGNED AND TESTED FOR MOBILE APPLICATIONS.



- 1 Metal Plating For Extra Durability The unique design provides a strong and durable housing for electronic and wall mounting components.
- 2 Metal Wall Mount Brackets The heavy duty wall mount brackets are fixed directly to the metal framing. This balances the vibration force between the metal components and reduces pressure in areas prone to damage.
- 3 Vibration Resistant Circuit Boards Silicone glue is used to protect the circuit board components from stress caused by vibration. The same process is used in mobile phone technology for shock absorption.
- 4 Energy efficient high brightness LED technology
- 5 Beautifully vivid A+ panel

- 6 Upgraded Furrion amplifier and speakers
- 7 HDMI 1.4
- 8 Audio out
- 9 Side or bottom access controls

*Features may vary.













MODEL	65" FEUS65F7A	58" FEFS58F7A	55" FEFS55F7A	50" FEFS50K9A	50" FEFS50T9A
TYPE	LED UHD TV	LED FHD TV	LED FHD TV	LED FHD TV	LED FHD TV
MAX. RESOLUTION	3840 x 2160@60Hz UHD	1920 x 1080@60Hz FHD			
POWER SUPPLY	AC 100V-240VAC 60/50Hz				
POWER CONSUMPTION (STANDBY)	< 1.0W				
SPEAKER	10W x 2, >60db				
PIXEL PITCH	0.372 x 0.372	0.2205 x 0.668	0.21 x 0.63	0.19025 x 0.57075	0.19025 x 0.57075
VIEWING ANGLE	176º/176º	176°/176°	178º/178º	178°/178°	178º/178º
LUMINANCE WHITE	300cd/m²	300cd/m ²	300cd/m ²	300cd/m²	300cd/m²
CONTRAST RATIO	3000:1	5000:1	4000:1	4000:1	4000:1
WALL MOUNTING (MM)	600 x 400	600 x 400	600 x 400	400 x 200	400 x 200
VGA	1	1	1	1	1
НДМІ	4	3	3	3	3
USB	2	1	1	1	1
AV IN	1	1	1	1	1
AUDIO OUT	1	1	1	1	1
YPBPR	1	1	1	1	1
HEADPHONES	1	1	1	1	1
RF	1	1	1	1	1
DIGITAL NOISE REDUCTION	✓	✓	✓	✓	✓
COLOR DISPOSE FUNCTION	10 bit	8 bit	8 bit	8 bit	8 bit

MODEL	48" FEFS48F7A	43" FEFS43N8A	39" FEHS39N8A	32" FEHS32D9A	24" FEHS24T8A
TYPE	LED FHD TV	FHD LED TV	LED HD TV	LED HD TV	LED HD TV
MAX. RESOLUTION	1920 x 1080@60Hz FHD	1920 x 1080@60Hz FHD	1366 x 768@60Hz HD	1366 x 768@60Hz HD	1366 x 768@60Hz HD
POWER SUPPLY	AC 100V-240VAC 60/50Hz				
POWER CONSUMPTION (STANDBY)	< 1.0W				
SPEAKER	10W x 2, >60db	5W x 2, >60db			
PIXEL PITCH	0.183 x 0.549	0.4902 x 0.4902	0.62475 x 0.62475	0.51075 x 0.51075	0.12725 x 0.38175
VIEWING ANGLE	178º/178º	178°/178°	178°/178°	178°/178°	176°/176°
LUMINANCE WHITE	300cd/m ²	290cd/m ²	250cd/m²	250cd/m²	250cd/m ²
CONTRAST RATIO	4000:1	1200:1	5000:1	1400:1	3000:1
WALL MOUNTING (MM)	400 x 200	200 x 200	200 x 200	200 x 100	75 x 75
VGA	1	1	1	1	1
НДМІ	3	3	3	3	1
USB	1	1	1	1	1
AV IN	1	1	1	1	1
AUDIO OUT	1	1	1	1	1
YPBPR	1	1	1	1	
HEADPHONES	1	1	1	1	1
RF	1	1	1	1	1
DIGITAL NOISE REDUCTION	✓	✓	✓	✓	✓
COLOR DISPOSE FUNCTION	8 bit	8 bit	8 bit	6 bit + FRC	8 bit

MODEL	24" FEHD24S0A	22" FEFD22S0A	19" FEHD19S0A
ТҮРЕ	LED HD TV COMBO 12V	LED FHD TV COMBO 12V	LED HD TV COMBO 12V
MAX. RESOLUTION	1366 x 768@60Hz HD	1920 x 1080@60Hz FHD	1366 x 768@60Hz HD
POWER SUPPLY	DC 12V	DC 12V	DC 12V
POWER CONSUMPTION (STANDBY)	< 1.0W	< 1.0W	< 1.0W
SPEAKER	5W x 2, >60db	5W x 2, >60db	5W x 2, >60db
PIXEL PITCH	0.12725 x 0.38175	0.24825 x 0.24825	0.3 x 0.3
VIEWING ANGLE	176°/176°	170°/160°	170°/160°
LUMINANCE WHITE	250cd/m ²	250cd/m²	200cd/m²
CONTRAST RATIO	3000:1	1000:1	1000:1
WALL MOUNTING (MM)	100 x 100	100 x 100	100 x 100
VGA	1	1	1
НДМІ	1	1	1
USB	1	1	1
AV IN	1	1	1
AUDIO OUT	1	1	1
YPBPR	1	1	1
HEADPHONES	1	1	1
RF	1	1	1
DIGITAL NOISE REDUCTION	✓	✓	✓
COLOR DISPOSE FUNCTION	8 bit	6 bit + FRC	6 bit + FRC





DV3300 SERIES ENTERTAINMENT SYSTEMS


Integrating residential design with recreational vehicle functionality, the new DV3300 entertainment systems offers next generation mulit-zone audiovisual technology. Experience high-quality audio streaming throughout your specialty vehicle entertainment system with Bluetooth wireless connectivity and seamless integration with Apple® iPod® or iPhone® and other bluetooth devices.








NFC communication allows the user to hold their NFC compatible device over the DV3300 entertainment system and stream music without needing to go through multiple steps setting up a connection.







DV5700 SERIES ENTERTAINMENT SYSTEMS

With a modern and sleek design, the new DV5700 delivers superior performance with the capability to bring you entertainment that makes sense. Easily connect most devices through the frontal auxiliary input to stream high quality audio or experience USB and DVD entertainment optimized for your recreational vehicle.



	O LOUSSID N	O LOUSSEE N	
MODEL	DV5500	DV5600	DV5700
OUTPUT	180W (4x45W)	180W (4x45W)	180W (4x45W)
CD/USB	\checkmark	\checkmark	\checkmark
DVD	•	✓	✓
CARD READER (SD/MMC)	\checkmark	\checkmark	\checkmark
MEDIA FORMAT	MP3/WMA	MP3/WMA/AVI	MP3/WMA/AVI
AM & FM	\checkmark	\checkmark	\checkmark
30 PRESET STATIONS	\checkmark	\checkmark	\checkmark
AUX-IN VIDEO SUPPORT	\checkmark	\checkmark	\checkmark
SUBWOOFER OUTPUT	✓	✓	\checkmark
RCA (AUDIO + VIDEO) OUTPUT	\checkmark	\checkmark	\checkmark
RCA (AUDIO) INPUT	✓	✓	✓
BLUETOOTH	•	•	✓







DV1200 SERIES ENTERTAINMENT SYSTEMS

Experience the ultimate all-in-one entertainment system with 320 watt power and controllable 3-zone speaker output. The Furrion DV1200 wall mount stereo series is the foremost in media technology offering video playback with amazing clarity, explosive audio output and multiple connectivity options.





Bluetooth Connectivity

Bluetooth wireless technology provides seamless integration with Apple® iPod® or iPhone® and other bluetooth devices. Experience high-quality audio streaming throughout your specialty vehicle entertainment system.





MODEL	DV1100	DV1200
OUTPUT	320W (6x40W + 80W Sub)	320W (6x40W + 80W Sub)
ZONES	3	3
CD/DVD/USB	✓	✓
AVI/WMA/MP3/MP4 (576p)	✓	\checkmark
AM & FM	✓	✓
30 PRESET STATIONS	\checkmark	\checkmark
AUX-IN VIDEO SUPPORT	✓	✓
80W INTERNAL SUBWOOFER AMPLIFIER	✓	\checkmark
RCA (AUDIO + VIDEO) OUTPUT	✓	✓
RCA (AUDIO) INPUT	\checkmark	\checkmark
BLUETOOTH	✓	✓
HDMI	•	\checkmark
WEATHERBAND	•	✓
OPTICAL AUDIO	•	√




























NV2200 NAVIGATION SYSTEM

The NV2200 in-dash system delivers high performance entertainment, navigation and observation in-one. The 6.2" high resolution touch panel display and award-winning app based software gives you greater control over multiple functions.





Now with dealership locator and RV park finder!

Enter truck characteristics to create customized truck routing and determine the most efficient routes across the U.S. and Canada. Along the way, quickly and easily find points of interest that matter to specialty vehicle drivers.









DISPLAY	6.2"480P Touch panel
OUTPUT	160W (4x40W)
ZONES	1
CD/DVD/USB	\checkmark
CARD READER (MICRO SD)	\checkmark
AVI/WMA/MP3/MP4	\checkmark
AM & FM	\checkmark
30 PRESET STATIONS	\checkmark
AUX-IN VIDEO SUPPORT	✓
SUBWOOFER OUTPUT	\checkmark
RCA (AUDIO + VIDEO) OUTPUT	✓
RCA (AUDIO) INPUT	\checkmark
BLUETOOTH	✓
GPS	√

Optional accessories:



USA & Canada Road Map SD

USA and Canada map SD with dealership locator and RV park finder (FSDRVIGO-MAP). Powered by IGO Primo. One of the leading on-board, 3D navigation solutions for the Automotive industry.



NV2200 Rear Camera

The steel-cased camera delivers seamless observation including night vision up to 50ft and a built-in microphone for backup audio. High resolution CMOS technology with dynamic light imaging automatically adjusts the contrast to the outside environment.



NV2200 Side Cameras

Ultimate safety and peace of mind with surround viewing for changing lanes, merging and making wide turns. High performance color optics and model standard Infrared LED's provide night vision up to 26ft.

MODEL



FMS3W (White)

FMS3B (Black)





FMS5W (White)	
FMS5B (Black)	

FS65W	(White)
FS65B	(Black)

TYPE	3" Outdoor Marine	5" Outdoor Marine	6.5" Ceiling Speaker
MAX POWER	15W	30W	30W
IMPEDANCE	4Ω	4Ω	4Ω
SENSITIVITY	86dB	88dB	86dB
FREQUENCY RANGE	80Hz ~ 20KHz	120Hz ~ 20KHz	60Hz ~ 20KHz





	FS3W (White)	FS5W (White)
MODEL	FS3B (Black)	FS5B (Black)
TYPE	3" Indoor Speaker	5" Indoor Speaker
MAX POWER	20W	30W
IMPEDANCE	4Ω	4Ω
SENSITIVITY	86dB	86dB
FREQUENCY RANGE	80Hz ~ 20KHz	80Hz ~ 20KHz









MODEL	FSB24SA2C-BL	FSW8P12-CF	FSUB8	FPA300B
TYPE	Passive (12V) Soundbar	Powered Subwoofer	8" Passive (12V) Subwoofer	High Output DJ Speaker
MAX POWER	40W	120W	60W	120W
SUPPLY VOLTAGE	•	11V - 15V	•	•
PEAK POWER HANDLING	•	•	•	480W
HORN	•	•	•	90° x 40°
IMPEDANCE	3.2Ω	•	4Ω	8Ω
SENSITIVITY	89dB	•	86dB	•
FREQUENCY RANGE	200Hz ~ 20KHz	80Hz ~ 20KHz	45Hz ~ 3KHz	55Hz ~ 20KHz
TERMINALS	•	RCA type input	•	•







Composite Video cable FVID3 (3ft) / FVID6 (6ft) / FVID12 (12ft)

 Durable gold-plated connectors for maximum signal transfer






HDMI cable 1.4 Gold plated: HDMI3FV14 (3ft) / HDMI6FV14 (6ft) / HDMI12FV14 (12ft) / HDMI25FV14 (25ft)

- Full HD 1080P+ high definition videoUltra-high speed digital and audio cable
- High purity copper conductors for maximum
- Durable gold-plated connectors for maximum signal transfer



Optical audio cable FFOPT3 (3ft) / FFOPT6 (6ft) / FFOPT12 (12ft)

- Using a digital connection prevents interference and improves sound quality
 Full-sized male TOSLINK optical audio
- connectors at each end
- · Gold plated ferrule resists corrosion and provides maximum protection for the connector tip
- Precision polished fiber tips for maximum signal transfer



Kitchen Contents



BUILT-IN OVEN PAGES 24-25



MICROWAVE PAGES 30-31



INDUCTION COOKTOP PAGES 26-27



DISHWASHER PAGES 32-33



GAS COOKTOP PAGES 28-29



COMPACT DISHWASHER PAGE 34-35





FSRI22LA-SS STAINLESS STEEL BUILT-IN OVEN FSRI22LA-SB BLACK GLASS BUILT-IN OVEN

Integrating residential design with specialty vehicle functionality, the new RV chef collection™ delivers modern and cutting-edge kitchen appliances engineered for mobile applications. Crafted to perfection with Climatesmart™ and Vibrationsmart™ technology to ensure maximum product performance and safety on the move.

The chef-inspired gourmet design combines function and dependability for a consistently delicious cooking result. With more usability than ever before, its the worlds first residential style oven engineered for recreational vehicle and mobile applications.







FIH2ZEA-BG INDUCTION COOKTOP

The intuitive and innovative loadsmart[™] power management system balances performance with convenience. Cook with less time, less energy and more precision.

- Timer: up to 180 minutes with hold touch settings
- 11 temperature control settings Temperature range: 150-450°F
- LED temperature display
- 13 Amp max draw power sharing
- Auto-pan detection function
- Automatic safety shutdown
- Childproof lock





Loadsmart Dual BurnersSensor Touch ControlThe intuitive powerConductive controls makesmanagement system balancesoperation quick and easyload between each zone



Digital LED Display

Digital temperature display
for precise cooking



Auto-pan Detection Safety Induction zones automatically switch off when no pan is detected

CONFIGURATION		FINISH	
NO. OF COOKING ZONES	2	SURFACE / TRIM	Ceramic Black Glass
MAXIMUM LOAD	1800W		
LEFT COOKING ZONE 1 – 7"	1500W		
RIGHT COOKING ZONE 2 – 7"	1500W	POWER SOURCE	
WARMING FUNCTION	Both Zones	ELECTRIC SUPPLY	120V AC 60Hz
POWER SHARING BOTH ZONES	Both Zones	MAX. AMP LOAD	15Amp
CONTROL		POWER CABLE LOCATION	Rear Center
TYPE	Electronic Glass Touch	TOTAL CONNECTED LOAD	1800W
LOCATION	Front	POWER SOURCE	Electric
TOUCH PADS	12		
KITCHEN TIMER	1 -180 mins		
SAFETY FEATURES		DIMENSIONS	
AUTOMATIC SHUT-OFF	✓	GLASS SIZE	14.96" x 24.41"
HOT SURFACE INDICATION	✓	PRODUCT SIZE	24.41" x 14.96" x 2.52"





FGH4ZSA-SS STAINLESS STEEL GAS COOKTOP

Explore new cooking possibilities with gas burners that give you greater control over a wide range of heat. Hand Crafted to perfection with Climatesmart™ and Vibrationsmart™ technology to ensure maximum product performance and safety on the move. Whether your RV is traditional, modern or somewhere in between, the contemporary and minimalist design will work beautifully with your décor.



SPECIFICATION

HEAT INPUT	7500BTU for each burner	GAS SAFETY CUT OFF VALVE	✓
PULSE IGNITION	1.5VDC	CAST IRON GRATE	\checkmark
NUMBER OF GAS BURNER	3	LP REGULATOR INCLUDED	✓
BURNERS WELL FIXED AND REMOVABLE	✓	PRODUCT SIZE	12.5" x 15" x 2.6"

04
MICROWAVE

RVCHEFCOLLECTION

Stainless Steel Microwave. Complete Control.





OVER-THE-RANGE STAINLESS STEEL MICROWAVE

- Convenient cooking controls makes operation quick and easy
- Pre-programmed defrosting times and power levels for optimal results
- Speed bake convection and microwave cooking delivers fast oven-quality results
- Two-speed, 300-cfm venting system removes smoke, steam and odors efficiently
- Large 1.5Cu.Ft capacity with 1500w microwave and 1450w convection function





Sleek Design Luxurious stainless steel design fits beautifully with your decor



Sensor Touch Control
Conductive controls makes
operation quick and easy



Larger Capacity
Large 1.5Cu.Ft capacity
with 1500W Microwave and
1450W Convection function



Convection Baking
Speed Bake Convection and
Microwave cooking combine to
deliver fast oven-quality results

SPECIFICATION

SPECIFICATION			
OVEN CAPACITY	1.5Cu.ft. (42L)	TURNTABLE MATERIAL	GLASS
POWER SOURCE	120V/60Hz	POWER LEVER	10
RATED OUTPUT POWER (CONVECTION)	1450W	MAX COOKING TIME	99″99′
RATED INPUT POWER (MICROWAVE)	1500W	AUTO COOK	\checkmark
DISPLAY TYPE	LED	CHILD LOCK	✓
CONTROL METHOD	ELECTRONIC	REMINDER END SIGNAL	\checkmark
DOOR OPENING TYPE	HANDLE	CAVITY SIZE	20.24" x 14.02" x 8.94"
MWTYPE	TURNTABLE	PRODUCT SIZE	29.89" x 15.04" x 15.75"
TURNTABLE DIAMETER	Ø13.6"		

R V C H E F C O L L E C T I O N

Stainless Steel Dishwasher. Complete Control.





FDW18SAS-SS 18" DISHWASHER

The RV Chef Collection™ dishwasher is designed to clean every item in the dishwasher with exceptional power and range. Featuring a wash management system that helps ensure optimal performance while reducing water consumption and special insulation that keeps noise to quiet 55 decibels or less.





Durable and Lasting Finish

Luxurious stainless steel design fits beautifully with your decor



Control Panel

Fully integrated light-touch electronic controls

120V/60Hz



Durable Racks

Designed for efficient loading and to secure dishes while traveling



Bright Annealed Stainless Steel Interior

Low water usage per cycle, ideal for RV or Yacht applications

SPECIFICATION VOLTAGE/FREQUENCY

CAPACITY (SETTINGS) 8 SILVER GREY **COLOR OF MACHINE** MATERIAL OF OUTER DOOR Stainless Steel PERFORMANCE (ACCORDING TO) **ENERGY EFFICIENCY CLASS** 2012 energy star WASHING PERFORMANCE 83 WATER CONSUMPTION 16L (4.2gal) DRYING INDEX ≥60% ≤55B NOISE LEVEL

CONTROLS

VOLTAGE/FREQUENCY	Electronic
CAPACITY (SETTINGS)	Power, Start, Program
KNOB FUNCTION	•

PROGRAM

HEAVY	✓
POTS & PAN	\checkmark
NORMAL WASH	✓
ENERGY SAVER	\checkmark
RINSE ONLY	\checkmark
QUICK WASH	\checkmark
SOAK	•
LIGHT	\checkmark
GLASS	\checkmark

SPECIAL FEATURES

HEATING DRY	✓
PRESSURE BALANCE STRUCTURE	✓
ANTIFLOOD DEVICE	Pressure switch



R V C H E F C O L L E C T I O N

Compact Dishwasher. Complete Control.







FDW18SAC-SS 18" DISHWASHER

The RV Chef Collection™ dishwasher is designed to clean every item in the dishwasher with exceptional power and range. Featuring a wash management system that helps ensure optimal performance while reducing water consumption and special insulation that keeps noise to quiet 55 decibels or less.













Durable and Lasting Finish Luxurious stainless steel design fits beautifully with your decor

CAPACITY (SETTINGS)

KNOB FUNCTION

Fully integrated light-touch electronic controls

On/Off, Program, Delay

Durable Racks Designed for efficient loading and to secure dishes while traveling

PRESSURE BALANCE STRUCTURE

ANTIFLOOD DEVICE

Steel Interior Low water usage per cycle, ideal for RV or Yacht applications

Bright Annealed Stainless

SPECIFICATION		PROGRAM	
VOLTAGE/FREQUENCY	120V/60Hz	HEAVY	✓
CAPACITY (SETTINGS)	6	POTS & PAN	•
COLOR OF MACHINE	SILVER GREY	NORMAL WASH	✓
MATERIAL OF OUTER DOOR	Stainless Steel	ENERGY SAVER	•
		RINSE ONLY	✓
PERFORMANCE (ACCORDING TO)		QUICK WASH	
ENERGY EFFICIENCY CLASS	2012 energy star	QUICK WASH	▼
WASHING PERFORMANCE	80	SOAK	\checkmark
WATER CONSUMPTION	13L (3.5gal)	LIGHT	✓
DRIVING INIDEV		GLASS	\checkmark
DRYING INDEX	•		
NOISE LEVEL	≤55B		
CONTROLS		SPECIAL FEATURES	
CONTROLS		SPECIAL FEATURES	
VOLTAGE/FREQUENCY	Electronic	WATER SENSOR	Flowmeter

FURRION Camera Systems

with long range digital wireless technology

Camera Systems Contents



WIRED CAMERAS PAGES 38-39



OBSERVATION SYSTEM PAGES 40-41



BACKUP CAMERA SYSTEM PAGES 42-43





NV2200 OBSERVATION CAMERAS

The NV2200 in-dash system delivers high performance entertainment, navigation and observation in-one. The 6.2" high resolution touch panel display and award-winning app based software gives you greater control over multiple functions.

REAR CAMERA

The steel-cased camera delivers seamless observation including night vision up to 50ft and a built-in microphone for backup audio. High resolution CMOS technology with dynamic light imaging automatically adjusts the contrast to the outside environment.



SIDE CAMERAS

Ultimate safety and peace of mind with surround viewing for changing lanes, merging and making wide turns.

High performance color optics and model standard
Infrared LED's provide night vision up to 26ft.



MODEL	FOS48TDBK-BL	FCL48TDBK-BL (LEFT) / FCR48TDBK-BL (RIGHT)
RESOLUTION	648*488 pixels for NTSC	648*488 pixels for NTSC
TV LINE	420	420
LENS	1.8 mm	1.8 mm
MINIMUM ILLUMINATION	0.1 lux (LED ON)	0.1lux (LED ON)
NIGHT VISION DISTANCE	52 ft	26 ft
WATERPROOF	IP69K	IP66
VIEW ANGEL	170°	170°
MICROPHONE	\checkmark	•









HIGH SPEED OBSERVATION & BACKUP SYSTEM.





VISION 2 WIRELESS OBSERVATION SYSTEM

Furrion's observation system uses the latest in digital wireless technology delivering smooth, clear and uninterrupted live video so you can travel safely. The camera system boasts amazing features including the latest in digital wireless technology, eliminating interference from the outside environment. The powerful infrared wide angle lens camera digitally locks to the LCD color display providing over 100ft of seamless long distance video transfer.



FOS481APK-BL
(FRCBRKT-BL mounting bracket included)

DISPLAY

Volt 4.3" Color Display

CAMERA

RESOLUTION	648*488 pixels for NTSC
TV LINE	420
LENS	1.8 mm
MINIMUM ILLUMINATION	0.1lux (LED ON)
NIGHT VISION DISTANCE	26 ft
WATERPROOF	IP65
VIEW ANGEL	170°





VISION 1 BACKUP CAMERA SYSTEM

Furrion's backup camera system boasts amazing features including the latest in digital wireless technology, eliminating interference from the outside environment. The powerful infrared wide-angle lens camera digitally locks to the 4.2" LCD color display and delivers seamless video while reversing.



FRC121A-BL (FRCBRKT-BL mounting bracket sold separately)



FRC12TAPK-BL (FRCBRKT-BL mounting bracket included)

DISPLAY


CAMERA

RESOLUTION	648*488 pixels for NTSC
TV LINE	420
LENS	1.8 mm
MINIMUM ILLUMINATION	0.1lux (LED ON)
NIGHT VISION DISTANCE	26 ft
WATERPROOF	IP65
VIEW ANGEL	170°

Dry Camp In Luxury

Solar Contents









FSPP95SA-BL 95W PORTABLE SOLAR POWER CHARGER

Furrion's portable solar panel system is designed to provide complete solar charging for your 12 volt batteries. The folding panel is fitted with the latest polycrystalline high efficiency solar technology and a 10 Amp battery charge controller.

- Super efficient polycrystalline solar technology
- Simple fold out and connect assembly takes under 3 minutes!
- Easy to carry and store







FSPINS-BS / FSPINS-GS / FSPINS-PS Pre-wired Solar Port Charging Inlet


Modern and sleek design. Made from heavy duty marine-grade materials with a fiber filled UV stabilized polyester outer casing designed to withstand harsh outdoor environments.

SOLAR PANEL

SOLAR CELL TYPE	High Eff Polycrystalline
MAX POWER (PMAX)	90W (+/-5%) (95W)
RATED VOLTAGE (VMP)	17.6V
RATED CURRENT (IMP)	5.11A
OPEN CIRCUIT VOLTAGE (VOC)	21.50V
SHORT CIRCUIT CURRENT (ISC)	5.31V
MAXIMUM SYSTEM VOLTAGE	1000V
TEST CONDITION	AM1.5,1000W/m2,25

CHARGE CONTROLLER

SOLAR CHARGER TYPE	PWM	
MAX INPUT VOLTAGE	22V	
MAX CURRENT (Amp)	7Amp	
HIGH VOLTAGE PROTECTION	14.5V (+/-0.5V)	
LOW VOLTAGE PROTECTION	11V (+/-0.3V)	



and next generation power delivery equipment

Electrical Contents



CORDSETS



ONE-PIECE ADAPTERS / 12 VOLT DC CONNECTIONS



PIGTAILS



AUTOMATIC TRANSFER SWITCH



Y-ADAPTERS / GENERATOR ADAPTERS



RV CONVERSION KITS / TV CABLE



PLUGS AND CONNECTORS



PORTABLE CABLE RAMP / ORGANIZING BAG



POWER AND DATA

SMART TECHNOLOGY



Faultsmart[™] Reverse Polarity and Neutral Loss Indicator

Furrion's Faultsmart Neutral loss and Reverse Polarity Indicator includes a bright blue LED power indicator and a bright red LED reverse polarity indicator. This reverse polarity LED indicates incorrect flow of electricity due to incorrect wiring. When this occurs the current will continue to flow until the circuit burns open. This provides the user with an instant warning and reduces the risk of damage to electrical equipment or the likely consequence of an onboard fire.

Patents Pending



Furrion's Powersmart bright blue LED voltage Indicator provides the user with instant indication that power is present. In blackout situations this super bright LED helps to determine whether the fault has occurred at the

power source or on your equipment.



FURRION





Furrion's RV Pullsmart Safe Disconnect Feature is a revolutionary design which helps prevent neutral loss occurring by user error. The plug handle has been designed to provide the user with a quick, easy and safe disconnect from the power source. Neutral loss commonly occurs when the user disconnects the plug from the wrong direction thus pulling out the neutral pin before the live pins, which creates a surge of electricity through the connection burning out appliances. Pullsmart's design helps to create a pull angle that can avoid these occurrences.

Patents Pending



O₁













Furrion's 30 Amp cordset range come with Faultsmart reverse polarity and neutral loss indicator with a Pullsmart safe disconnect feature. Cordsets are made to the highest quality standards for long life use backed by Furrion's 5 year warranty.

Features:

- Furrion's Faultsmart reverse polarity and neutral loss indicator
- Furrion's Pullsmart feature
- Plug end has side grips for easy, user friendly connection
- Available in black or Furrion's titanium color
- Universal fit with all other brands

Specifications:

cable specs:

30A rated up to 600V

30A 10/3 STW 17.7mm

NEMA L5-30R (30 Amp)

NEMA TT-30P (30 Amp)





Product Coding and Pin Configurations:

30 Amp 125V Faultsmart cordset

Conn. (F) Plug (M)



25ft F30R25-SB (Black) 30ft F30R30-SB (Black) 36ft F30R36-SB (Black)

30ft F30R30-SS (Titanium) 36ft F30R36-SS (Titanium)









30 Amp 125V non-detachable cordset




30ft F30RB30-SB (Black) 36ft F30RB36-SB (Black)



30 Amp 125V extension cordset











Pullsmart™ Safe Disconnect





Description:

Furrion's 50 Amp cordset range come with Powersmart LED's indicating power is present on both live pins. The Pullsmart Safe Disconnect Feature is a revolutionary design which helps prevent neutral loss occurring by user error with a unique handle designed to provide a quick, easy and safe disconnect from the power source. Cordsets are made to the highest quality standards for long life use backed by Furrion's 5 year warranty.

Features:

- Furrion's Powersmart LED indicators
- Furrion's Pullsmart feature
- Plug end has side grips for easy, user friendly connection
- Universal fit with all other brands

Specifications:

Cable specs:

rated up to 600V 50A 6/4 STW 22.2mm

NEMA SS-2 (50 Amp 125/250V)

NEMA 14-50P (50 Amp 125/250V)







Product Coding and Pin Configurations:

50 Amp 125/250V Powersmart cordset

Conn. (F) Plug (M





30ft F50R30-SB (Black) 36ft F50R36-SB (Black)







50 Amp 125/250V non-detachable Powersmart cordset



30ft F50RB30-SB (Black) 36ft F50RB36-SB (Black)






50 Amp 125/250V Powersmart extension cordset









O₂ PIGTAIL

Description:

RV pigtail adapters are used to convert plug sizes. These adapters are made to the highest quality standards for long life use backed by Furrion's 5 year warranty.







Features:

- Furrion's Powersmart or Faultsmart system
- Furrion's Pullsmart system
- Plug end has side grips for easy, user friendly connection
- Universal fit to use with all other brands

Specifications:

Cable specs: rated up to 600V 50A 6/4 STW 22.2mm 30A 10/3 STW 17.7mm

Product Coding and Pin Configurations:

Conn. (F) Plug (M)



15 Amp Conn. (F) - 30 Amp straight blade RV plug (M)

FP1530R-SB (Black)











30 Amp straight blade RV Conn. (F) -15 Amp straight blade plug (M)

FP3015R-SB (Black)









30 Amp locking Conn.(F) - 30 Amp straight blade RV plug (M)

FP3030R-SB (Black)











50 Amp 125/250V Conn. (F) - 30 Amp straight blade RV plug (M)

FP5030R-SB (Black)











30 Amp RV straight blade RV Conn. (F) - 50 Amp 125/250V straight blade RV plug (M)

FP3050R-SB (Black)
























Conn. (F) Plug (M)





50 Amp 125/250V straight blade RV Conn. (F) - 30 Amp locking plug (M)

FP5230R-SB (Black)











30 Amp straight blade RV conn (F) -20 Amp straight blade plug (M)

FP3122R-SB (Black)









30 Amp straight blade RV conn (F) - 30 Amp locking plug (M)

FP3130R-SB (Black)











30 Amp straight blade RV conn (F) -20 Amp locking plug (M)

FP3120R-SB (Black)









30 Amp straight blade RV conn (F) -20 Amp 4-prong plug (M)

FP31GEN2R-SB (Black)









30 Amp straight blade RV conn (F) -30 Amp 4-prong plug (M)

FP31GEN4R-SB (Black)









50 Amp 125/250V straight blade Conn. (F) - 30 Amp 4-prong generator plug (M)

FP52GEN4-SB (Black)










50 Amp 125/250V conn (F) -15 Amp plug (M)

FP5515-SY (Yellow)









F7WATR8-SB (Black)



Product Coding and Pin Configurations:

Conn. (F) Plug (M)







(2) 30 Amp straight blade RV Conn. (F) F3030RY-SB (Black) - 30 Amp RV straight blade plug (M)













(2) 30 Amp straight blade RV Conn. (F) - 50 Amp 125/250V RV straight blade

F3050RY-SB (Black)







Product Coding and Pin Configurations:

Conn. (F) Plug (M)





15 Amp Conn. (F) - 30 Amp straight blade RV plug (M)

F1530AD-RY







30 Amp straight blade RV Conn. (F) -15 Amp straight blade plug (M)

F3015AD-RY







30 Amp straight blade RV Conn. (F) -30 Amp locking plug (M)

F3030AD-RY







30 Amp straight blade RV Conn. (F) -20 Amp locking plug (M)

F3120AD-RY







30 Amp straight blade RV Conn. (F) -20 Amp 4-prong locking plug (M)

F31GEN2AD-RY







Description:

The industrial quality of these plugs gives the strength for long lasting outdoor use.

Features:

- Industrial strength and quality
- Universal to all other brands

Specifications:

Case material: PC and PA Blades: Nickel plated brass

Covers and Rings: Thermoplastic vinyl

UL and CUL certification





Product Coding and Pin Configurations:

Conn. (F) Plug (M)



15 Amp plug (M)

F15MLP-SY





15 Amp conn (F)

F15FMP-SY

F52MLP-RY





30 Amp straight blade RV plug (M)

50 Amp 125/250V straight blade RV

F30MLP-RY







30 Amp straight blade RV conn (F)

F30FMP-RY







F52FMP-RY

Description:

These plugs and connectors in conjunction with available covers can be used in wet locations. The industrial quality of these plugs gives the strength for long lasting use.

Features:

- Industrial strength and quality
- Universal to all other brands

Specifications:

Case material: PC and PA Blades: Nickel plated brass

Covers and Rings: Thermoplastic vinyl

UL and CUL certification







Product Coding and Pin Configurations:

ug	'n
	ug

15 Amp plug (M)

F15MLP-SY





15 Amp conn (F)

F15FMP-SY

F20MLP-SY

F20FMP-SY

F30MLP-SY

F30FMP-SY

F50MLP-SS





20 Amp locking plug (M)





20 Amp locking conn (F)





30 Amp plug (M)





30 Amp conn (F)

50 Amp 125V plug (M)







Conn.	(F)	Plug	(M)



50 Amp 125V conn (F)







50 Amp 125/250V plug (M)

F52MLP-SS





50 Amp 125/250V conn (F)

F52FMP-SS



30 Amp cover plug (M)

F30COV-SY (Yellow) F30COV-SS (Titanium)





30 Amp cover conn (F)

F30CVL-SY (Yellow) F30CVL-SS (Titanium)





50 Amp cover plug (M)

F50COV-SY (Yellow) F50COV-SS (Titanium)





50 Amp cover conn (F)

F50CVL-SY (Yellow) F50CVL-SS (Titanium)








30 Amp cover & connector retrofit kit with bonus heavy duty cable strap

FFKIT30-SY (Yellow)







30 Amp replacement ring

50 Amp replacement ring

F50SLC-SS

F30SLC-SS









New, safe and innovative design reduces human error during installation and on OEM production lines. The unique and industry-first terminal design reduces operating temperature by up to 10°F.



Powersmart 3-LED bright blue power Indicator



Powersmart™ Voltage indicator

Innovative terminal design provides 50% more screw thread. Secure cable with more torque and reduce cross threading during installation.

Transparent pin face provides the user with quick indication that the cable is secured to the terminal and provides visible warning for overheating connection or internal damage.



Threaded strain relief makes installation faster and easier while pulling the cable towards the terminals to ensure a safer and secure connection.

Description:

Furrion's power inlets are modern and sleek with a futuristic look and feel. Manufactured to withstand harsh marine environments and constructed with high quality marine-grade materials. These stylish inlets feature a voltage indicating LED to show a live connection *Stainless steel inlet does not include LED

Features:

- Furrion's Powersmart 3-LED bright blue power indicator
- Furrion's sleek, modern design
- Available in polished stainless steel and non-metallic materials
- Universal fit for industry standards

Specifications:

Plastic inlet:

Logo plate: 316 marine grade Stainless Steel Outer casing: Fibre filled UV stabilized polyester

Stainless steel inlet:

Outer casing: Hand polished 316L marine grade stainless steel Rear and internal parts: Plug Inserts: PC (CTI greater than 600V)

Rear enclosure: PA - UL flammability rating 94V-0

Terminals and pins: Nickel plated brass pins for corrosion resistance

Tested to marine UL498 and CSA C22.2 standards



NOW AVAILABLE IN 4 DIFFERENT COLORS WHITE / TITANIUM (GREY) / BLACK / STAINLESS STEEL







POWER AND DATA INLETS

Product Coding and Pin Configurations:






Telephone/TV inlet round non-metallic white Telephone/TV inlet square non-metallic white

FPTINR-PS FPTINS-PS







FTVINS-PS FTVINS-GS FTVINS-SS









Cable TV miniature inlet square black (50 pack) FTVINB-BS
Cable TV miniature inlet square grey (50 pack) FTVINB-GS
Cable TV miniature inlet square white (50 pack) FTVINB-PS









15 Amp receptacle GFCI black (20 pack)F15RFCI-SB15 Amp receptacle GFCI grey (20 pack)F15RFCI-GS15 Amp receptacle GFCI white (20 pack)F15RFCI-PS







15 Amp outdoor receptacle cover black (20 pack)F15RCS-SB15 Amp outdoor receptacle cover grey (20 pack)F15RCS-GS15 Amp outdoor receptacle cover white (20 pack)F15RCS-PS









30 Amp inlet round non-metallic white F30INR-PS
30 Amp inlet square non-metallic black F30INS-BS
30 Amp inlet square non-metallic grey F30INS-GS
30 Amp inlet square non-metallic white F30INS-PS
30 Amp inlet stainless steel F30INS-SS









50 Amp 125V inlet round non-metallic white F50INR-PS
50 Amp 125V inlet square non-metallic white F50INS-PS
50 Amp 125V inlet stainless steel F50INS-SS









50 Amp 125/250V inlet round non-metallic white F52INR-PS
50 Amp 125/250V inlet square non-metallic black F52INS-BS
50 Amp 125/250V inlet square non-metallic grey F52INS-GS
50 Amp 125/250V inlet square non-metallic white F52INS-PS
50 Amp 125/250V inlet stainless steel F52INS-SS











Description:

Made from heavy duty marine grade materials and constructed to the highest quality standards backed by our 5-year warranty.

Features:

- Furrion's Powersmart LED indicator
- Industrial strength and quality
- Universal to all other brands



Rated: 125V Casing: PC

Blades: Nickel plated brass Plugs

made to NEMA standards





*Only when applicable









Product Coding and Pin Configurations:

onn. (F) Plug (M)





15 Amp plug (M) - 30 Amp locking conn (F)

F1530AD-SS









30 Amp locking plug (M) - 15 Amp conn (F)

F3015AD-SS





F12VR

F12SB





12V receptacle

• Universal car cigarette connection

• Water resistant sealing cap

 Made from corrosion resistant materials to ensure solid contact and durability



12V Dual USB charger • Max Amp.: USB1: 1A/5V, USB2: 2.1A/5V

Max Amp.: USB1: 1A/5V, USB2: 2.1A/5VWater resistant sealing cap

 Made from corrosion resistant materials to ensure solid contact and durability




12V Dual USB charger and 12V receptacle in-one.

F12VRSB







- Vibration Resistant Brass Terminals
- Designed to withstand vibration from RV
- Reduces the risk of loose terminals arcing
- **High Copper Content Brass Terminals**
- Brass terminals reduce operating temperature range compared to other terminal materials used.
- Improved thermal and electrical conductivity
- Reduced risk of thermal event
- Direct connection to the safety interlock contactors
- Less resistance in the circuit reducing heat
- Improved thermal and electrical conductivity
- Reduces risk of thermal event
- Mechanical safety interlock prevents generator and shorepower source from contacting at the same time and provides stronger terminal contact
- UL94 fire resistant plastic casing
- Better quality and thicker silver contacts for longer durability in service
- Multiple cable strain punch out holes for easier and more installation options

Product Coding:

30 Amp 125 VAC F30-ATS 50 Amp 125/250 VAC F50-ATS









Titanium Color Weatherproof Cover **Electrical Box**


30A Female Plug

Exterior Inlet Mounting Ring and gaskets



50 Amp 125/250V Conversion Kit

50A Powersmart LED Square non-metallic inlet 50A Female Plug Titanium Color Weatherproof Cover **Electrical Box Exterior Inlet Mounting Ring and gaskets**



- Use your existing cordset
- Easier storage for your cable





FCKIT30-PS











Anti-interference TV cable

Convert your hard-wired RV power cordset into an easy to use and store detachable electrical set up.

No more struggling with heavy power cords in and

Description:

out of small access doors!

Telephone and TV cables in RV parks and marinas, when run over long lengths, act as antennas picking up unwanted radio signals which cause interference. Furrion's Signalsmart anti-interference filter reduces this interference and improves your connection quality.

Features:

- Added inline interference filter improving reception
- Weatherproof RG59-U connectors for outdoor use
- Bonus Weatherproof bag for storage and protection
- Comes in standard yellow color and Furrion's titanium
- Universal fit with all other brands

Specifications:

Cable type: Coaxial cable Boat grade vinyl insulated for weatherproofing Connectors: Slip on 'F' type male connections with protective cover





Product Coding:






25ft FTVC25-SY (Yellow) FTVC25-SS (Titanium) FTVC50-SY (Yellow)

FTVC50-SS (Titanium)








F30STR3 F50STR3

PORTABLE CABLE RAMP A





Non-rip storage bag included

- Protected your expensive cables against unwanted damage?
- Attempted to prevent accidents from tripping over your equipment?
- Protected yourself against painful liabilities from the negligence of laying cables across pathways or open spaces without any attempt to warn of the obstruction?

FRAMP-SS

Description:

Furrion's portable cable ramp has amazing industrial strength, is lightweight and packs into a small bag for easy storage and portability. With its adjustable sizes and the ability to join several ramps together, the ramp provides protection for a wide variety of applications. The Portable-ramp has also been designed for mounting permanently when needed and light reflecting signs on the surface for night visibility. The Portable-ramp has all the necessary features to protect yourself against unwanted damage to your equipment and prevent any painful and expensive personal liabilities.

Features:

- Adjustable widths for different sizes
- Quick connect system for joining multiple ramps together
- Portable use or permanently mounted
- Light weight & amazing industrial strength: Tested up to 2 tonnes
- Packs up and comes with compact storage bag
- Reflecting surface symbols for night visibility
- Shows an internationally recognized warning symbol
- Rubber feet for added traction and ramp stability

Specifications:


Length of Ramp: 1ft 10"
Weight: 4.8 kg / 10.56 pounds
Tested single load: up to 2 tonne
Tested vehicle weight: up to 4 tonne
Material: Fibre filled nylon
Unlimited length with joining ramps
Cable channel width: adjustable from 2 inch to 3 3/4 inch

Bonus storage bag!

Fits up to 2 x 200 Amp cables



Organizing Bag



FORGBG-SS

Description:

With Furrion's shore power organizing bag you can now lock your cables to a desired location without having to worry about them being moved or stolen. The bag works using patented security products *(sold separately). You never again have to worry about leaving your expensive equipment unsecured at the dock, site or yard. Your equipment can then be stored in the bag for weather resistant protection.

Features:

- 1. Cable entry and exit access holes in each end of the bag
- 2. Ventilation for drying moisture
- 3. Heavy duty material to help prevent damage and give added security and strength
- 4. Water resistant material helps to prevent corrosion of your equipment
- 5. Reflective edge making it visible in dark locations

Specifications:

Materials: Heavy duty tarpaulin